



**Danish
Interpretation
Systems**

PRICE LIST - FEBRUARY 2011

ТОВ "АудіоМастер", 03186 м. Київ, а/с 54, тел. (044) 459-/090, 490-5174, 490-5175,
www.audiomaster.com.ua e-mail: sales.audiomaster.kiev.ua

Type of unit	Unit #	Description	EUR
CDS 4000 Conference Equipment			
Microphone Control Equipment			
Central Control Equipment	CU 4010	Central Unit, for 100 microphone units. Up to 10 CU 4010 linked can handle up to 1000 microphone units.	1 390
Interfaces	RS 4232 (Discontinued)	RS232/422 interface card for CU 4005 and CU 4010	399
Control Panels	MC 4000 (Discontinued)	Microphone Control for switching up to 999 microphones in connection with CU 4005 or CU 4010	1 599
System Control Software			
SW Basic Package	SW 4210	CDS 4000 Commander Software Features Microphone and System Control, Quick Search, Delegate Name list (Name handling), Speakers Log (incl. Timer and Data base) for Windows '98/2000/NT/XP Max. 100 Microphone units. (RS 4232 interface is required)	417
SW Basic Package	SW 4211	CDS 4000 Commander Software Features Microphone and System Control, Quick Search, Delegate Name list (Name handling), Speakers Log (incl. Timer and Data base) for Windows '98/2000/NT/XP. Max. 1000 Microphone units. (RS 4232 interface is required)	1 850
SW Modules	SW 4220	Software Module providing Geographical Display/Mimic Board.	833
Portable Microphone Units 4400 series			
Portable	DM 4420 P	Delegate Microphone unit w/XLR socket for gooseneck microphone, loudspeaker and 2 m cable, for use with GM 6523 or GM 6524	223
Portable	CM 4420 P	Chairman Microphone unit w/XLR socket for gooseneck mic, loudspeaker and 2 m cable, for use with GM 6523 or GM 6524	314
Electronic Box			
Flush mount	MU 4040	Microphone Unit for use with 1 pc. HM 4042 hand microphone or 1 pc. FD/FC front panel. Features: Sub-D connectors, 2 m cable and dip-switch setting for selection of FD or FC version	230
Hand Microphone			
Microphones	HM 4042	Hand microphone w. "request"- "speak" button and light ring, without cable. For use with MU 4040 or MU 6040 C/D	170
Pre-terminated Cables	EC 4004-02	Spiral (coiled) Cable -2 m, 6 pin XLR female x 15 pin HD-Sub male between HM 4042 Hand microphones and MU 4040 or MU 6040 electronic boxes	105
Pre-terminated Cables	EC 4006-03	Straight Cable – 3 m, 6 pin XLR female x 15 pin HD-Sub male between HM 4042 Hand microphones and MU 4040 or MU 6040 electronic boxes	74
Microphones	AC 4042	Clamp for HM 4042 Hand microphone	11
Microphone Front Panels for MU 4040			
Front Panels	FD 4010 FHN-4432-GB-100 (Discontinued)	Delegate Front Panel for MU 4040 or MU 6040D w. GM 4432F gooseneck mic with light ring and 1 button with LED indication and loudspeaker. Anodised aluminium, 160x90 mm; 1 m cable	159
Accessories - Microphones			
Microphones	GM 6523	Gooseneck Microphone, 40 cm long, black w/XLR plug and light ring for all DM, CM, DC, FD, FC, FM units fitted with XLR socket	141
Microphones	GM 6524	Gooseneck Microphone, 50 cm long, black w/XLR plug and light ring for all DM, CM, DC, FD, FC, FM units fitted with XLR socket	141
Microphones	GM 6525	Gooseneck Microphone, 63 cm long, black w/XLR plug and light ring for all DM, CM, DC, FD, FC, FM units fitted with XLR socket	168
Microphones	GM 6033F (Discontinued)	Gooseneck Microphone, 40 cm long, black w/nut	110

Type of unit	Unit #	Description	EUR
Microphones	GM 4432 (Discontinued)	Gooseneck Microphone, 36 cm long, black w/nut	110
Accessories - Headphones			
Headphones	DH 6001 H	Lightweight Headphone, 600 Ohm	24
Headphones	DH 6001 EP	Set of Ear pads for DH 6001H, DH 6021 & DH 6025	2
Headphones	DH 8003 H	Stethoscope headphone with dual dynamic transduc., 300 Ohm	23
Accessories - Cables and Connectors			
Pre-terminated Cables	EC 4000-01	Module Cable, 1 m for DM/CM 4400 series portable units and MU 4040 electronic boxes	77
Pre-terminated Cables	EC 4000-02	Module Cable, 2 m for DM/CM 4400 series portable units and MU 4040 electronic boxes	84
Pre-terminated Cables	EC 4000-05	Module Cable, 5 m for DM/CM 4400 series portable units and MU 4040 electronic boxes	106
Pre-terminated Cables	EC 4000-10	Module Cable, 10 m for DM/CM 4400 series portable units and MU 4040 electronic boxes	131
Pre-terminated Cables	EC 4000-20	Module Cable, 20 m for DM/CM 4400 series portable units and MU 4040 electronic boxes	190
Cables	EC 6232-02	Cable, 2 m, CU 4005/CU 4010 -> MC4000	42
Cables	EC 6232-10	Cable, 10 m, CU 4005/CU 4010 -> MC4000	59
Cable (bulk)	CA 4000-100	Cable, round – per 100 m, for DM/CM 4400 series portable units and MU 4040 electronic boxes	421
Accessories - Transportation and Storage Boxes			
Transportation Boxes	SB 4400	Plastic box with foam for 5 pcs. Portable Microphone units, models: DM/CM 4420 P, DM/CM 6070 P or DM/CM 6090 P	168
Transportation Boxes	SB CU	Plastic box with foam for one 19" unit of the models: CU 4005/10 CU 6005/11, EX 6010, AO 6008, IT 6108 and DT 6008/32	136
Transportation	DO 12	Dolly with four wheels for 10 boxes	90

DCS 6000 Digital Conference System			
Central Units			
Central Control Equipment	CU 6005	Central Control Unit, fully digital. Basic features: Control for max 50 conference units and 4 Interpretation Channels. Slot for AO 6004 Audio Output Unit. Features can be expanded by loading "Feature Licenses": Up to 500 Conference Units, Vox, Voting, Sound Encryption, Up to 16 Interpretation Channels.	1 876
Central Control Equipment	CU 6011	Central Control Unit, fully digital. Basic features: Control for max 50 conference units and 4 Interpretation Channels. Features can be expanded by loading "Feature Licenses": Up to 3800 Conference Units, Vox, Voting, Sound Encryption, Up to 31 Interpretation Channels.	2 511
Feature License	FL 6000 xx	Orders can be requested	CALL
Power Supplies	EX 6010	Extension Power Supply, 31+8 Channels, fully digital. Providing additional capacity for 160 conference units or interpreter sets, or 320 channel selectors in four chains, connected to the DCS-LAN	2 437
Interfaces	AO 6008	Analogue Output unit, 8 outputs. Providing 8 balanced XLR outputs for individual recording and monitoring of up to 8 channels simultaneously. Any language channel or floor channel can be assigned to any of the 8 outputs.	1 846
In-line Extension Equipment			
Interfaces	PS 6000	Power supply, in-line, for Module of the DCS-LAN.	703
Repeater	RP 6004	Repeater, 1 input x 4 outputs for the DCS – LAN network	603

Type of unit	Unit #	Description	EUR
Interfaces	AO 6004	Analogue Output unit, 4 outputs. Designed to be inserted into slot in CU 6005 but can also be used free-standing	843
Junction Boxes	JB 6002	Junction box, 2 tap-outs for the DCS-LAN	191
Junction Boxes	JB 6004	Junction box, 4 tap-outs for the DCS-LAN	236
Programmer	CP 6001	Chip Card Programmer/Reader for use with SW 6071 Module	94
Portable Conference Units 6000-series			
Conference Units	DM 6070 P (Discontinued)	Delegate Conference unit, portable. Fully digital, w/loudspeaker, fixed gooseneck microphone (40 cm) with high intensity light and 2 individual channel selectors with back light LCD displays	599
Conference Units	DM 6680 P	Delegate Conference Unit, portable. 3/5 buttons voting, one ch. selector, chip card reader, loudspeaker, XLR socket for microphone	588
Conference Units	DC 6120 P	Delegate/Chairman Conference unit, portable. Fully digital, w/loudspeaker and XLR socket for microphone. "Second function" button. "Del. Off" button for Chairman use included	382
Conference Units	DC 6190 P	Delegate/Chairman Conference unit, portable. Fully digital, w/loudspeaker and XLR socket for microphone. "Second function" button available. 2 individual channel selectors with back light LCD displays. "Del. Off" button for Chairman use included	478
Conference Units	DC 6990 P	Portable Conference Unit with: 3,5" LCD Touch Screen, Loudspeaker, Lockable XLR plug for GM, Chip Card Reader, Dual Language selector, Configurable as CM/DM/Dual DM.	975
Electronic Box & Front panels			
Conference Units		Orders can be requested	CALL
Channel Selectors			
Channel selectors, Flush mount	CS 6032 FHB1	Channel selector, 32 Channels fully digital with Back light LCD display. Flush Mount in horizontal design. 2,5 mm Black anodised aluminium plate. Dimensions (W x L x D): 95 x 45 x 50 mm.	280
Channel selectors, Flush mount	CS 6032 xxx	Orders can be requested	CALL
Interpreters Equipment & Headphones			
Interpreter Sets	IS 6132 P	Interpreter Set, 32 Channels fully digital (1+31 languages) incl.: * Volume and separate tone controls, mute- (cough), "speaking to fast" button with LED indication. * Auto relay function with 4 individually pre-selected inputs (a-b-c-d) and 2 outputs (A-B). * Large back-lit LCD display providing fast user friendly information about actual pre-selects and language quality. * Connector for loudspeaker unit, XLR connector for gooseneck microphone and jack connectors for headphone.	1 294
Microphones	GM 6523	Gooseneck Microphone, 40 cm long, black w/XLR plug and light ring for all DM, CM, DC, FD, FC, FM and IS units fitted with XLR socket	141
Headphones	DH 6001 H	Lightweight Headphone, 600 Ohm	24
Headset	IH 6000	Interpreter Headset. Combined Headphone and electret microphone on boom arm	429
Loudspeakers	LS 6132	Interpreter Loudspeaker, portable	375
Headphones	DH 6001 EP	Set of Ear pads for DH 6001H, DH 6021 & DH 6025	2
Headphones	DH 8003 H	Stethoscope headphone with dual dynamic transducers, 300 Ohm	23
Accessories, Cables and Connectors			
		Orders can be requested	CALL

Type of unit	Unit #	Description	EUR
DCS 6000 Digital Infrared System			
Digital Transmitters			
Digital Transmitter	DT 6008	8-channel Digital IR-Transmitter Can be used with both DCS 6000 and CIE 9000 systems	3 830
Digital Transmitter	DT 6032	32-channel Digital IR-Transmitter Can be used with both DCS 6000 and CIE 9000 systems	9 220
Digital Radiators			
Digital Radiator	RA 6013	Infrared High Power IR Digital Radiator, 16Wpp Transmits at high frequencies (2-8 MHz)	2 568
Digital Radiator	RA 6025	Infrared High Power IR Digital Radiator, 32 Wpp Transmits at high frequencies (2-8 MHz)	3 649
Digital Receivers			
Digital Receiver	DR 6004	4-channel Infrared Digital Receiver	183
Digital Receiver	DR 6008	8-channel Infrared Digital Receiver	203
Digital Receiver	DR 6032	32-channel Infrared Digital Receiver	230
Accessories			
Transportation and Storage boxes	CT 6056	Charging Tray for 56 pieces DR 60xx Digital Receivers	2 390
Batteries	BP 6001	Rechargeable Battery Pack for DR 60xx Digital Receivers, Package of 10 pieces -price for one piece	18
Accessories		Orders can be requested	CALL
SW 6000 Conference Management Software			
CALL. Orders can be requested			
SW 7000 Streaming/Archiving, Multi Ch. Rec., Dictate Player/Recorder			
CALL. Orders can be requested			
CCS 7800 Camera Control System			
CALL. Orders can be requested			
Interpreter Booth			
CALL. Orders can be requested			